

METABOND OLD SPEZIAL

Product datasheet

Product Name: Metabond OLD SPEZIAL metal finisher motor oil treatment.

Metabond OLD SPEZIAL is a new generation, high viscosity metal surface finisher which provides excellent sealing and exceptional lubrication and friction reduction in worn engines of vehicles and equipment with significant oil consumption (nearly 1 litre/1000 kms). Simply mix it into the recommended grade of oil used in the engines of used petrol, diesel and gas operated vehicles.

Characteristic Properties, Testing Method	Unit of Measurement	Typical Value
Colour Number ASTM-D 1500-07	ASTM-scale	7,5
Kinematic Viscosity at 40 °C MSZ EN ISO 3104:1996	mm ² /s	185,6
Kinematic Viscosity at 100 °C MSZ EN ISO 3104:1996	mm ² /s	22,05
Total Acid Number (TAN) ASTM D 664-07	mg KOH/g	5,88
Total Base Number (TBN) ASTM D 4739-08	mg KOH/g	19,87
Copper Strip Corrosion Test (100°C, 1 hour) MSZ EN ISO 2160:2000	k. grade	1a

The stated values in this document are based on the measurements of an accredited laboratory and are mean values.

Depending on the characteristics of the supply of raw materials, small differences may occur during the manufacturing process. This does not affect the quality of the finished product.